

MyWay

Whirlpool Bath





MyWay



MARIOFERRARINISTUDIO



MyWay

Create your personal bath experience



Genuine Jacuzzi® hydromassage | Great comfort | Wide personalization



THE REAL HYDROTHERAPY RECIPE

HEAT

During exercise or strain on the muscles, lactic acid is produced. Lactic acid removal is sped up by heat, allowing the muscles to become less fatigued and recover faster. Additionally, moving hot water increases this effect by increasing heat conduction.

BUOYANCY


Buoyancy is an upward force exerted by a liquid, gas or other fluid that opposes the weight of an immersed object. When submerged, there is less pressure on the body, tissues, and muscles.

MASSAGE

Massage is the manipulation of superficial and deeper layers of muscle and connective tissue to enhance function, aid in the healing process, and promote relaxation and well-being.



TargetPro™ JETS



AESTHETICS

The TargetPro™ jet show off contemporary styling with tapered edges and a choice of finishes.

DIRECTIONAL CONTROL

Jets can be directed up to 60 degrees to target specific areas of the body.

HIGH PERFORMANCE

Jets and pump system combines for adjustable flow and an optimal air-water mix.


ADJUSTABILITY

A twist of the jet can increase or decrease intensity or close a jet completely.

CLEANABILITY

The smooth surfaces offered by the TargetPro™ jet simplify the cleaning process.


TOTAL BODY HYDROMASSAGE



The jets are specifically targeted to feet and legs to promote blood circulation and to back and loins for a total body relaxation.





DEEP IMMERSION




Enjoy a complete water body immersion thanks to its inner depth.

TOUCH CONTROLS



Easy to use, the flat controls leave the rim clean and can be perceived with eyes closed.

CROMODREAM®



The coloured LED underwater spotlight illuminates the bath water creating the atmosphere which reflects your mood. The light can be used also with empty bath.



TECHNOGEL® HEADREST



The wide comfortable integrated headrest allows to lay on a soft and warm surface for a complete relax.



ARMREST



Comfortable during the bath, helpful support to lay down and stand up. On model 180 only.

TAPS OPTIONS



Overflow drain with
click-clack waste cover



Drain
filler







Faucet


PANELS



New panel finishes with wood look – Oak - and textile effect – Grey Linen.
Easy to fix and to replace to perfectly match your bathroom style.

INSTALLATION


Built-in	Niche	Corner	Back-to-Wall
	 1 frontal	 1 frontal + 1 side	 1 frontal + 2 sides



Can be installed with the head-backrest or the feet/drainage point against the wall.

RANGE

cm 170 x 75 x 57 H




Left hand

cm 180 x 80 x 57 H



Left hand

MATERIALS



	PART	MATERIAL	BENEFIT
1	Shell	PMMA (Methacrylate)	Weather & shock resistant, easy to clean; smooth, aesthetic surface
2	Jets	ABS	Shock, scratch & UV resistant, recyclable,
3	Frame	Stainless steel	Rust, fire and heat resistant; hygienic & aesthetic
4	Pipelines	PVC	Rigid, fire resistant; impermeable to liquids and vapours; avoid water stagnation
5	Pump		Self-draining, engineered to provide the best hydrotherapy effect
6	Headrest	Technogel®	Non toxic & resistant; hygienic surface; the gel relieves head and neck pain
7	Panels	HPL MDF inside, front PVC, back melamine	Scratch & fire resistant; hygienic and easy to maintain.



DATA


FUNCTIONS		EXTERNAL DIMENSIONS		170x75	180x80
Classic Jacuzzi® hydro-massage	5 TargetPro™ jets	Length	cm	170	180
Back hydro-massage	3 rotating jets	Width	cm	75	80
Cromodream® & Courtesy light		Height	cm	57	57
FEATURES		INTERNAL DIMENSIONS			
Touch controls		Bath depth	cm	46	51
Technogel® Headrest – color taupe		Length at the top edge	cm	148	158
Dry run prevention system		Length at jets	cm	131	141
Tapware options	Overflow with click-clack waste cover Overflow with faucet filler Tapware with hand-held shower	Central width at top edge	cm	63	63
INSTALLATION	Built in, corner, back-to-wall, inset	Water volume (at the overflow level)	l	230	270
		Average water quantity for hydromassage	l	195	225
		Electric power supply		220/240 V – 50/60 Hz	
PANELS	Front panel & Side panel	Max power absorbed		1,2 kW-6(18)A	
Panel Finishes	White glossy / Acrylic Oak / HPL Grey Linen / HPL	Floor load at overflow level	kg/m2	~233	~240



CODING

MyWay 170x75 = **MYW100** $\alpha\beta\gamma\delta\epsilon$

MyWay 180x80 = **MYW200** $\alpha\beta\gamma\delta\epsilon$



α –equipment

1– Hydromassage / capacitive controls

β –verse

1-Left hand

2-Right hand

γ –faucet

1-overflow drain with click-clack waste cover

2-overflow drain with filler and click-clack waste cover

3-faucet

δ –panels finishing

0-whitout

1-acrylic

2-HPL grey linen

3-HPL oak

ϵ –panels configuration

0-whitout

1-frontal

2-frontal + 1side

3-frontal + 2sides



www.jacuzzi.eu